



**TYLENOL & MOTRIN DOSING
CHART**

Pounds	Kilograms	Infant/Children's Acetaminophen (160mg/5mL)	Infant Ibuprofen (100mg/2.5mL)	Children's Ibuprofen (100mg/5mL)
5-7	2.25-3.2	1.25 mL	Not under 6 mo	Not under 6 mo
7-9.5	3.2-4.3	1.5 mL	Not under 6 mo	Not under 6 mo
9.5-11.5	4.3-5.3	2.0 mL	Not under 6 mo	Not under 6 mo
11.5-14	5.3-6.4	2.5 mL	1.3 mL	2.5 mL
14-16.5	6.4-7.4	3.0 mL	1.5 mL	3.0 mL
16.5-18.5	7.4-8.5	3.5 mL	1.875 mL	3.75 mL
18.5-21	8.5-9.6	4.0 mL	2.0 mL	4.25 mL
21-23.5	9.6-10.7	4.5 mL	2.5 mL	4.75 mL
23.5-26.5	10.7-11.7	5.0 mL	2.75 mL	5.25 mL
26.5-28	11.7-12.8	5.5 mL	3.0 mL	5.75 mL
28-30.5	12.8-13.9	6.0 mL	3.25 mL	6.5 mL
30.5-33	13.9-15	6.5 mL	3.5 mL	7.0 mL
33-35	15-16	7.0 mL	3.75 mL	7.5 mL
35-37.5	16-17	7.5 mL	4.0 mL	8.0 mL
37.5-42.5	17-19.2	8.0 mL	4.25 mL	8.5 mL
42.5-47	19.2-21.3	9.0 mL	4.75 mL	9.5 mL
47-51	21.3-23.5	10.0 mL	5.0 mL	10.5 mL
51-56.5	23.5-25.6	11.0 mL		11.75 mL
56.5-61	25.6-27.7	12.0 mL		12.5 mL
61-66	27.7-30	13.0 mL		13.75 mL
66-70.5	30-32	14.0 mL		15.0 mL
70.5-75	32-34	15.0 mL		16.0 mL
75	34	16.0 mL		17.0 mL

Acetaminophen and Ibuprofen can be alternated every 3 hours for fever/pain-see medical provider if needing more than 3 days
Do not use Acetaminophen in children with liver disease or Ibuprofen in children with kidney disease